

Message

From: Cirian, Mike [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=98D0FD2CBB3F4F25B819C6929E18D08D-CIRIAN, MIKE]
Sent: 6/13/2017 5:26:09 PM
To: Michael Ritorto [mritorto@rouxinc.com]
CC: John.Stroiazza@glencore-ca.com; Andrew Baris [abaris@rouxinc.com]; Laura Jensen [ljensen@rouxinc.com]; Steve Wright - CFAC [swright@cfaluminum.com]; Gunnar Emilsson [EmilssonGR@cdmsmith.com]; Coan, Sean [CoanSM@cdmsmith.com]; Erin Formanek [Formanekek@cdmsmith.com]; lidewitt@mt.gov; COwen@mt.gov
Subject: RE: Revised CFAC Phase I SAP Modifications #10 and #11
Attachments: Modifications 10 Responses (2) .docx

Hi Michael.

I will be signing Mod 11. I do have some follow-up comments to Mod #10 I have attached to this email.

Do you want me to sign and scan and send back Mod #11 or Sign and give to Steve at CFAC? I will be on site Thursday for a short timeframe.

Mike

Mike Cirian, PE
Libby On-site Project Manager
US EPA
108 East 9th Street
Libby, MT 59923
(406) 293-6194 Office

From: Michael Ritorto [mailto:mritorto@rouxinc.com]
Sent: Monday, June 12, 2017 1:33 PM
To: Cirian, Mike <Cirian.Mike@epa.gov>
Cc: John.Stroiazza@glencore-ca.com; Andrew Baris <abaris@rouxinc.com>; Laura Jensen <ljensen@rouxinc.com>; Steve Wright - CFAC <swright@cfaluminum.com>; Gunnar Emilsson <EmilssonGR@cdmsmith.com>; Coan, Sean <CoanSM@cdmsmith.com>; Erin Formanek <Formanekek@cdmsmith.com>; lidewitt@mt.gov; COwen@mt.gov
Subject: Revised CFAC Phase I SAP Modifications #10 and #11

Mike,

Following our discussions last week and based on the comments provided by CDM Smith, CFAC and Roux have revised the SAP Modification forms for the asbestos landfill surface soil sampling (MOD#10) and the slug testing (MOD#11). Attached to this email you will find the following items:

- Revised Phase I SAP Mod #10 and associated attachments (Sample location map, Roux SOP, and Lab CARB 435 SOP)
- Revised Phase I SAP Mod #11 and associated attachments (Pneumatic Slug Testing SOP, Mechanical Slug Testing SOP, and Slug Testing Analytical SOP)
- Response to CDM Comments on Mods #10 and #11


Please let us know if you need any additional information or have any questions. If you agree with the proposed changes, please provide your concurrence on the modification requests. As noted previously, we plan to begin the slug testing about July 10th.

Michael Ritorto | Principal Hydrogeologist/Office Manager | Roux Associates, Inc.

209 Shafter Street, Islandia, NY 11749

Main: 631-232-2600 | Direct: 631-630-2370

Email: mrirtorto@rouxinc.com | Website: www.rouxinc.com



We solve our clients' most challenging environmental problems

NOTICE: This electronic communication, including any authorized attachments, contains information that may be legally privileged, protected, confidential and/or exempt from disclosure or certain types of use under applicable law. This information is for the sole use of the intended recipient(s). If you are not the intended recipient(s) or the employee or agent responsible for delivery of this message to the intended recipient(s), you are hereby notified that any review, use, disclosure, copying, distribution or the taking of any action in reliance on the contents of this e-mail or any attachments is strictly prohibited. You are further advised that review by an individual other than the intended recipient(s) shall not constitute a waiver of any attorney-client privilege which may apply to this communication. If you have received this communication in error, please notify the sender immediately by return e-mail, permanently delete this e-mail and any attachments from all computers on which they may be stored and destroy any print-outs of this email and any attachments.